Combat Models malliharrastajan tavaratalo

Sisu XA-185 "Pasi"

Instruction for scale 1/72 Sisu XA-185 model kit. To build this kit, you need a hobby knife, small side cutters, sandpaper or file and plastic glue. We recommend to use Tamiya "green cap" glue.

If you use metal parts from PE sheet use cyanoacrylate or acrylic glue. "Normal" plastic glue will not work on metal.

Kit contains 6 different sprues: A, B, C, D, E and XA

Sprue A and D have part for body and underframe. Sprue B has detailing parts Sprue C contains wheels Sprue E has parts for axles Sprue XA has parts for XA-185 version

This kit has about 200 parts

For painting and markings see separate instruction.

Read instructions through before starting to build XA-185. Please be careful when you cut parts! Erst lesen, dann bauen!



First build upper hull. You find hull top and sides from sprue XA, hull rear and front from sprue A

Roof details and machine gun parts are on sprue B and E.

If you build ambulance version see page 8 for details. Ambulance version does not have machine gun. If you buld foreign version with gun shield see page 7 for details.













Front armour/splash guard from sprue B

Window armour from sprue B. Can be built open or closed.

You can also use PE parts from separate sheet.







All hull top hatches are on sprue A and XA

You can also use PE sheet hatches.









Hull rear details, sprue B



Ladders from sprue XA. You can also use metal wire should you want finer details. Note that some versions may have decals positioned under the side ladders/handles, take this into account when attaching parts.





Drivers compartment, sprues A and B



Headlights and headlight protection bars from sprue B





Springs and spring attachments from sprue E and undercarriage details from sprue B. See picture above.

You can bend the springs a little should you wish, see picture top right.



Winch from sprue B













Rear plate details and propellers from sprue B You can also use metal propellers from PE sheet



See pictures of complete model below for help.









6)

Shock absorbers and brake drums from sprue B



Connecting upper and lower hulls. Be careful when joining the parts.

Before gluing the parts together make window glasses from clear plastic sheet.



Wheels are assembled in layers to create authentic tire pattern.

Every wheel has inner, middle and outer part. Middle and outer parts are identical on all 6 wheels, but rear axle inner part is different as rear axle is not steerable.





Optional gun shield for Danish, Norwegian, Estonian and Swedish vehicles.

Shield parts are from sprue D, gun from sprue B.



Ambulance version:

Use part from sprue D to close hull top hatch from below.

Ambulance emergency lights are on sprue E.

Two small boxes are for Finnish SFOR as well as foreign ambulance versions. Found from sprue D





Large box is used for Finnish Army and Finnish KFOR ambulances and can be found from sprue E. See painting instruction for placement!





Wire cutter is used on all peacekeeping versions. Extra lights from sprue E can be used as option.



In co-operation with









Also available: